

RENEWWRAP®

Carbon Fiber Strengthening System



STRUCTURAL STRENGTHENING

CASE STUDY:

Greenville, SC Column and Cap Repair

OVERVIEW

The SCDOT found corrosion-related deterioration of the pier caps and columns supporting the Butler Road bridge over I-385 in Greenville, SC, during a routine inspection. The corrosion was caught early enough and was limited to only one column and a couple of locations on the pier cap to be repaired by the SCDOT maintenance crews. To prevent further deterioration, the SCDOT determined it was necessary to repair the damage, restore any loss of strength and protect the pier from further deterioration. A repair that could be made quickly and with as little disruption to the traveling public was important.

PROJECT DETAILS

Engineers visited the job site with the SCDOT to assess the scope of the problem and understand the objectives of the SCDOT. After the site visit, MIS recommended using GeoStrong® geopolymer repair mortar to make the vertical and overhead spall repairs on the pier cap, followed by the application of a single layer of RenewWrap FRP strengthening system to restore any loss strength and to protect the pier cap from further deterioration.

The work was completed by the SCDOT maintenance crews in the evenings to minimize lane closures on I-385. Standard concrete repair methods were used by the SCDOT to make the repairs. Once the loose concrete was removed and the corroded rebar was cleaned, the GeoStrong geopolymer repair mortar was placed by hand to fill the spalled sections. Unfortunately, heavy rains in South Carolina forced the crew to shut down before the patching could be completed. When they returned two weeks later, they could patch directly over the cured GeoStrong material with confidence knowing that cold joints are not a concern with MIS's innovative geopolymer material.

When the GeoStrong mortar was applied and cured, MIS engineers instructed the maintenance crew on how to apply RenewWrap FRP system to the pier cap and column. The carbon fibers were aligned in the same direction as the corroded reinforcing steel to provide additional strength and protection to the damaged areas. The following night, the SCDOT coated the RenewWrap with a Sherwin-Williams epoxy paint to match the rest of the pier. To the traveling public, the pier looks like a brand-new structure.

RESULTS

The SCDOT Assistant District Maintenance Engineer and maintenance crew commented on the ease of installing the FRP strengthening system, and hope to use this material on future maintenance applications.

PROJECT DETAILS

Location: Greenville, SC

Application: Column and Cap Repair

Client: South Carolina Department of Transportation (SCDOT)

Product Used: RenewWrap FRP System

Installation: June 2018

Installer: SCDOT



Column and pier cap prior to repair.



www.geotreesolutions.com

+1.855.655.6750

RENEWWRAP

Carbon Fiber Strengthening System



CASE STUDY:

Greenville, SC

Column and Cap Repair



Application of GeoStrong repair mortar.



Completed repairs prior to coating.



SCDOT maintenance crew wrapping pier cap with RenewWrap FRP system.



Painting RenewWrap FRP system with epoxy coating.



Application of RenewWrap FRP around column for confinement.



Completed column and pier cap.



www.geotreesolutions.com

+1.855.655.6750

© 2020 Spartan Acquisition, LLC. All rights reserved.

GeoTree™ is a trademark of Spartan Acquisition, LLC | RenewWrap® is a registered trademark of Spartan Acquisition, LLC

Before using any GeoTree product, the user must review the most recent version of the product's technical data sheet, safety data sheet and other applicable documents, available at www.geotreesolutions.com or by calling +1.855.655.6750.

V: 07.31.2020