



Sikalastic®-726 Balcony One Shot

TWO COMPONENT, ALIPHATIC, ELASTOMERIC, LO-VOC, POLYURETHANE COATING SYSTEM

- The only **single-step system**
- Integral texture, for ultimate coating durability
- Fewer steps equals faster project completion
- No primer needed
- Perfect mix size for balconies

BUILDING TRUST



Sikalastic®-726 Balcony One Shot

TWO COMPONENT, ALIPHATIC, POLYURETHANE COATING SYSTEM

DESCRIPTION

Sikalastic®-726 Balcony One Shot is a two-component, aliphatic, chemically cured, elastomeric polyurethane hybrid coating system that has both superior flexibility and abrasion resistance. Easily applied in a single coat with or without primer and designed for pedestrian traffic specifically balcony applications.

Product Technology

- TWO COMPONENT, ALIPHATIC, CHEMICALLY-CURED, PRIMERLESS POLYURETHANE HYBRID PEDESTRIAN TRAFFIC COATING SYSTEM

APPLICATIONS

- Sikalastic®-726 Balcony One Shot may only be used by experienced professionals.
- Sikalastic®-726 Balcony One Shot is designed for exclusive use on pedestrian traffic applications.

Including:

- Balconies
- Pedestrian Plaza & Rooftop Decks
- Foot bridges and walkways
- Stadiums and arenas

Typical Data (Material and curing conditions @ 73 °F (23 °C) and 50% RH)

Solid content by volume (ASTM D-2697)	95.17%
Shore A Hardness (ASTM D-2240)	90 +/- 5
Tensile Strength (ASTM D-412)	2400 +/- 200 psi
Elongation at Break (ASTM D-412)	500% +/- 50%
Tear Strength (ASTM D-624)	300 lbf/in. +/- 50 lbf/in.



FOR MORE INFORMATION:

Contact Sika: Phone 800.933.SIKA(7452) Website: www.usa.sika.com

Sika Corporation

201 Polito Avenue
Lyndhurst, NJ 07071
Phone: 201-933-8800
Fax: 201-933-6225



BUILDING TRUST

